



Document No.: MRE-0063

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re application of

Chan Ho PARK, Hyun Joo HWANG, Jae Bong SEO, Young Geun PARK, and Ho Keun SONG

Confirmation No.: 1631

Group Art Unit: 2829

Serial No: 10/657,179

Examiner: Jimmy NGUYEN

Filed: September 9, 2003

Customer No.: 34610

For: DEVICE FOR COMPENSATING FOR HEAT DEVIATION IN A MODULAR TEST HANDLER

U.S. Patent and Trademark Office
Customer Window, Mail Stop Amendment
Randolph Building
401 Dulany Street
Alexandria, Virginia 22314

Dear Sir:

Transmitted herewith is an Amendment and/or Reply in the above identified application.

- No additional fee is required.
 Also attached:

The fee has been calculated as shown below:

	NO. OF CLAIMS	HIGHEST PREVIOUSLY PAID FOR	EXTRA CLAIMS	RATE	FEE
Total Claims	34	34		x \$50.00 =	\$
Independent Claims	3	3		x \$200.00=	\$
If multiple claims newly presented, add \$360.00					
Fee for extension of time					
TOTAL FEE DUE					\$0.00

- Please charge my Deposit Account No. 16-0607 in the amount of \$ _____. An additional copy of this transmittal sheet is submitted herewith.
- A check in the amount of \$ _____ (Check #_____) is attached.
- The Commissioner is hereby authorized to charge payment of any fees associated with this communication or credit any overpayment, to Deposit Account No. 16-0607, including any filing fees under 37 C.F.R. 1.16 for presentation of extra claims and any patent application processing fees under 37 C.F.R. 1.17.

Respectfully submitted,
FLESHNER & KIM, LLP

Carol L. Druzick
Registration No. 40,287
Joanna K. Mason
Registration No. 56,408

P.O. Box 221200
Chantilly, VA 20153-1200
(703) 766-3701 DYK:CLD:JKM/cah
Date: February 16, 2005



IFW

Packet No.: MRE-0063

PATENT

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of:

Confirmation No.: 1631

Chan Ho PARK, et al.

Group Art Unit: 2829

Serial No.: 10/657,179

Examiner: Jimmy NGUYEN

Filed: September 9, 2003

Customer No.: 34610

For: DEVICE FOR COMPENSATING FOR HEAT DEVIATION IN A MODULAR TEST HANDLER

AMENDMENT

U.S. Patent and Trademark Office
220 20th Street South
Customer Window, Mail Stop Amendment
Crystal Plaza Two, Lobby, Room 1B03
Arlington, VA 22202

Sir:

In response to the Office Action of November 17, 2004, please amend the above-identified application as follows:

Amendments to the Specification begin on page 2 of this paper.

Amendments to the Claims are reflected in the listing of claims which begins on page 4 of this paper.

Remarks/Arguments begin on page 14 of this paper.